



PRODUCT CATALOGUE

2018.



TABLE OF CONTENTS

ABOUT US.....	3
PRODUCTS.....	5
PHARMACUTICALS.....	7
ALIMENTARY TRACT AND METABOLISM	7
BLOOD AND BLOOD FORMING ORGANS	10
CARDIOVASCULAR SYSTEM.....	10
DERMATOLOGICALS.....	15
GENITO URINARY SYSTEM AND SEX HORMONES.....	17
GENERAL ANTIINFECTIVES FOR SYSTEMIC USE	18
ANTINEOPLASTIC AND IMMUNOMODULATING AGENTS.....	22
MUSCULO-SKELETAL SYSTEM	22
NERVOUS SYSTEM	26
ANTIPARASITIC PRODUCTS	33
RESPIRATORY SYSTEM	33
FOOD FOR SPECIAL MEDICAL PURPOSES.....	35
HERBAL MEDICINES.....	36
FOOD SUPPLEMENTS.....	37
COSMETICS.....	40
MEDICAL DEVICE.....	42
AUXILIARY SUBSTANCES.....	43
CONTACTS.....	44
CROATIA.....	45
COMPANIES ABROAD.....	47
REPRESENTATIVE OFFICES.....	48

Belupo is the second-largest producer of prescription drugs, OTC products and enteral food in Croatia.



According to their anatomical-therapeutic-chemical (ATC) classification, Belupo's pharmaceuticals fall under 12 classes. Belupo's product portfolio is focused on: cardiovascular system medicines, musculoskeletal system medicines, nervous system medicines, gastrointestinal system medicines, dermatological and general anti-infective medicines for systemic use.

Development and production of high quality products is the main strategic orientation for all 1400 Belupo's employees, both on the domestic and 16 European markets.

After 47 years of constant growth and development, in 2017 Belupo completed its investment cycle – by building a new solid, semi-liquid and liquid medicine factory. These are Belupo's factories for the future, a future created by the knowledge of their employees and by implementing new technologies in the manufacture of generic drugs with added value, as well as new-generation medicines.

Worth more than 70 million euros, these new factories are currently the biggest greenfield investment in Croatia. Thanks to their modern technology and processes organization according to latest standards in good consumer practice, the factories represent one of the most sophisticated pharmaceutical plants in the region. The newly launched production lines increased the production capacities by 150 per cent and ensure an annual production level of 100 million packaging units.



The new plants meet top standards of modern pharmaceutical industry, including the Good Manufacturing Practice Standards, the U.S. Food and Drug Administration requirements, the European Pharmaceutical Inspection Convention regulations, and the requirements and standards set in the Croatian Medicinal Products Act.

Numerous and diverse forms of cooperation include reputable foreign business partners: Abbott, Pharmathen, Medis, Lupin and Torrent confirm and guarantee our commitment to the very latest developments in the field of pharmaceuticals.

PRODUCTS

The wide range of Belupo's products is categorized under three main groups: prescription medicines, OTC products and food for special medical purposes.



Every year we upgrading our portfolio by developing and making new products in all categories, as well as by improving the existing ones.

We are proud to say that nowadays our product portfolio includes more than 100 brands and approximately 400 different products with different active ingredients, dosages and packaging. Most of them are a result of our knowledge in research and development, production and quality control.

We are producing generic drugs that are not inferior to most leading pharmaceutical brands in terms of quality, safety and efficacy.

BROAD RANGE OF THERAPEUTIC AREAS



Rx

- alimentary tract and metabolism
- blood and blood forming
- cardiovascular system
- dermatologicals
- genito-urinary system and sex hormones
- antiinfectives for systemic use
- antineoplastic and immunomodulating agents
- musculo-skeletal system
- nervous system
- antiparasitic products, insecticides and repellents
- respiratory system
- sensory organs



OTC

- herbal medicines
- food supplements
- cosmetics
- non – prescription medicines
- medical device
- auxiliary substances



Food for special medical purposes

- polymeric commercial formula
- specialized (disease specific) formula - cancer

A

ALIMENTARY TRACT AND METABOLISM

● AGNIS

VILDAGLIPTINE

Vildagliptin is an oral anti-hyperglycemic agent (anti-diabetic drug) of the new dipeptidyl peptidase-4 (DPP-4) inhibitor class of drugs. Vildagliptin inhibits the inactivation of GLP-1 and GIP by DPP-4, allowing GLP-1 and GIP to potentiate the secretion of insulin in the beta cells and suppress glucagon release by the alpha cells of the islets of Langerhans in the pancreas. Vildagliptin has been shown to reduce hyperglycemia in type 2 diabetes mellitus.

tablets

50 x 50 mg

● BELFORMIN

METFORMINE

Antidiabetic drug, a biguanide antihyperglycemic agent used for treating non-insulin-dependent diabetes mellitus (NIDDM). Metformin improves glycemic control by decreasing hepatic glucose production, decreasing glucose absorption and increasing insulin-mediated glucose uptake.

film-coated tablets

100 x 500 mg

30 x 850 mg

30 x 1000 mg

120 x 850 mg

120 x 1000 mg

● BELOSEPT

HEXETIDINE

Oral antiseptic, a broad-spectrum antibacterial and antimycotic agent for rinsing the mouth.

solution

● DIAPIRID

GLIMEPIRIDE

Antidiabetic drug, the first III generation sulphonylurea used for treating non-insulin-dependent diabetes mellitus (NIDDM) with long duration of action.

The mechanism of action of glimepiride in lowering blood glucose appears to be dependent on stimulating the release of insulin from functioning pancreatic beta cells, and increasing sensitivity of peripheral tissues to insulin.

tablets

30 x 1 mg

30 x 2 mg 30 x 3 mg

mg

GASTROBEL

RANITIDINE

Specific rapidly acting histamine H₂-receptor antagonist. Used for symptomatic relief of heartburn, indigestion, acid indigestion and hyperacidity.

effervescent tablets

10 x 150 mg

GLIKA

GLICLAZIDE

Hypoglycemic sulphonylurea oral antidiabetic active substance. Reduces blood glucose levels by stimulating insulin secretion from β -cells of the islands of Langerhans in pancreas.

modified-release tablets

60 x 30 mg

LORDIAR

LOPERAMIDE

Synthetic antidiarrheal for oral use.

hard capsules

20 x 2 mg

PORTALAK efekt

LACTULOSE

Osmotic laxative, used in occasional or long-term constipation.

syrup

250 ml (66.7 g / 100 ml)

PORTALAK

LACTULOSE

Osmotic laxative, used in occasional or long-term constipation.

syrup

500 ml (66.7 g / 100 ml)

POTASSIUM CHLORIDE BELUPO (KALIJEV KLORID BELUPO)

POTASSIUM CHLORIDE

Oral replacement of electrolyte and fluid loss due to various reasons.

soluble tablets

30 x 500 mg

REGLINID

REPAGLINIDE

Antidiabetic drug, an oral blood glucose-lowering drug of the meglitinide class, used in the management of non-insulin-dependent diabetes mellitus (NIDDM). Repaglinide lowers blood glucose levels by stimulating the release of insulin from the pancreas.

tablets

90 x 0.5 mg

90 x 1 mg

90 x 2 mg

ROJAZOL

MICONAZOLE

Topical broad-spectrum antimycotic. Combined fungistatic and fungicidal action, bacteriostatic and bactericidal action on gram-positive cocci and bacilli that often follow fungous infections

oral gel

40 g 2% (20 mg / g)

RUDAKOL

MEBEVERINE

Selective musculotropic spasmolytic without anticholinergic side effects.

coated tablets

50 x 135 mg

TARGET PLUS

OMEPRAZOLE

Proton pumps inhibitor, effective in the short-term treatment of duodenal, gastric and esophageal ulcers and may offer a useful alternative to conventional therapy. In combination with antimicrobials in dual and triple drug regimens, omeprazole therapy can achieve high cure rates in the treatment of *Helicobacter pylori* associated with peptic ulcer disease. The drug is recommended for Zollinger-Ellison syndrome.

hard capsules

14 x 20 mg 28 x 20 mg

ZOLTEX

PANTOPRAZOLE

Proton pumps inhibitor, effective in the short-term treatment of duodenal, gastric and esophageal ulcers and may offer a useful alternative to conventional therapy. In combination with antimicrobials in dual and triple drug regimens, omeprazole therapy can achieve high cure rate in the treatment of *Helicobacter pylori* associated with peptic ulcer disease. The drug is recommended for Zollinger-Ellison syndrome.

gastro-resistant tablets

28 x 20 mg 14 x 40 mg
56 x 20 mg 28 x 40 mg

powder for solution for injection

40 mg / 10 ml

B

BLOOD AND BLOOD FORMING ORGANS

ASKA pro

ACETYLSALICYLIC ACID

Acetylsalicylic acid inhibits the adhesion and dumping of blood platelets (thrombocytes) and in this way prevents blood clots (thrombi) to develop (inhibition of platelet aggregation).

gastro-resistant tablets

30 x 100 mg

HEPARIN BELUPO

HEPARIN

Endogenous anticoagulant for intravenous infusion or intravenous injection.

solution for injections

10 x 5 ml (25,000 IU / 5 ml)

KLOPIDEX

CLOPIDOGREL

Clopidogrel is an oral antiplatelet agent (thienopyridine class) which inhibits blood clotting and is indicated for prevention of vascular ischaemic events in patients with symptomatic atherosclerosis, acute coronary syndrome without ST-segment elevation (NSTEMI), ST elevation MI (STEMI). It is also used, along with aspirin, for the prevention of thrombosis after placement of intracoronary stent or as an alternative antiplatelet drug for patients who are intolerant to aspirin.

film-coated tablets

30 x 75 mg

C

CARDIOVASCULAR SYSTEM

AMIODARON BELUPO

AMIODARONE

Antiarrhythmic drug, class III.

tablets

60 x 200 mg

AMONEX

AMLODIPINE

Third generation of the dihydropyridine derivative. Calcium antagonist with predominantly vascular effect, indicated for the treatment of essential hypertension, chronic stable angina pectoris and Prinzmetal angina.

tablets

30 x 5 mg	30 x 10 mg
60 x 5 mg	60 x 10 mg
90 x 5 mg	90 x 10 mg

AMORA

RAMIRPIL AND AMLODIPINE

The combination of an ACE inhibitor ramipril and a dihydropyridine calcium channel blocker amlodipine. A fixed combination of ramipril with amlodipine effectively provides both blood pressure control and positive cardioprotective and nephroprotective effect.

hard capsules

30 x 2,5 mg/5 mg	60 x 2,5 mg/5 mg
30 x 5 mg/5 mg	60 x 5 mg/5 mg
30 x 5 mg/10 mg	60 x 5 mg/10 mg
30 x 10 mg/5 mg	60 x 10 mg/5 mg
30 x 10 mg/10 mg	60 x 10 mg/10 mg

BISOBEL

BISOPROLOL

Cardioselective β_1 -adrenergic receptor blocker, indicated for treatment of essential hypertension, coronary heart disease and congestive heart failure.

tablets

30 x 2.5 mg	30 x 5 mg	
60 x 2.5 mg	60 x 5 mg	30 x 10 mg

CARVELOL

CARVEDILOL

α - and β -adrenergic receptor blocker, indicated for the treatment of essential hypertension, coronary heart disease and symptomatic congestive heart failure.

tablets

30 x 3.125 mg
30 x 6.25 mg
30 x 12.5 mg
30 x 25 mg

DOXA

DOXAZOSIN

Alpha-adrenergic blockers. It causes the blood vessels (veins and arteries) to relax and expand, improving blood flow. Doxazosin also relaxes muscles in the prostate and bladder neck, making it easier to urinate.

tablets

20 x 2 mg	20 x 4 mg
-----------	-----------

FURSEMID

FUROSEMIDE

Potent loop diuretic. Inhibits sodium and chloride reabsorption at the loop of Henle.

tablets
20 x 40 mg

solution for injections
5 x 2 ml (20 mg / 2 ml)

FURSEMID FORTE

FUROSEMIDE

Potent loop diuretic. Inhibits sodium and chloride reabsorption at the loop of Henle.

tablets
20 x 500 mg

INDAMID SR

INDAPAMIDE

Diuretic and antihypertensive. Pharmacologically related to thiazide diuretics with antihypertensive action.

prolonged-release tablets
30 x 1.5 mg

IRUMED

LISINOPRIL

ACE inhibitor, used in hypertension, heart failure and for short-term treatment hemodynamically stable patients after acute myocardial infarction. Slows down the development of diabetic nephropathy and retinopathy.

tablets
30 x 2.5 mg 30 x 5 mg 30 x 10 mg 30 x 20 mg
60 x 2.5 mg 60 x 5 mg 60 x 10 mg 60 x 20 mg

IRUZID

LISINOPRIL AND HYDROCHLOROTHIAZIDE

Combination of ACE inhibitor and diuretic, antihypertensive

tablets
30 x (10 + 12.5 mg) 30 x (20 + 12.5 mg) 30 x (20 + 25 mg)
60 x (10 + 12.5 mg) 60 x (20 + 12.5 mg) 60 x (20 + 25 mg)

ISOCARD

ISOSORBIDE MONONITRATE

Used in prevention of angina pectoris attacks.

prolonged-release tablets
50 x 40 mg 50 x 60 mg

LACIDIPIN BELUPO

LACIDIPINE

Calcium channel blocker, indicated in adults for the treatment of hypertension, either alone or in combination with other antihypertensive agents.

film-coated tablets
28 x 4 mg 28 x 6 mg

MOKSONIDIN BELUPO

MOKSONIDINE

Antihypertensive centrally acting antiadrenergic agent.

film-coated tablets

28 x 0.2 mg 28 x 0.4 mg

NIBEL

NEBIVOLOL

Antihypertensive and selective β_1 -blocker with nitric oxide-potentiating vasodilatory effect, indicated for treatment of essential hypertension and congestive heart failure.

tablets

14 x 5 mg 28 x 5 mg

ORMIDOL

ATENOLOL

Antihypertensive and selective β -blocker

film-coated tablets

30 x 25 mg 30 x 50 mg 28 x 100 mg

PINOX

LERCANIDIPINE

Third generation of the dihydropyridine derivative. Calcium antagonist with predominantly vascular effect, indicated for the treatment of essential hypertension. Lercanidipine works by relaxing and opening the blood vessels allowing the blood to circulate more freely around the body. This lowers the blood pressure and allows the heart to work more efficiently.

film-coated tablets

28 x 10 mg 56 x 10 mg

PROTECTA

SIMVASTATINE

Hypolipemic, an HMG-CoA reductase inhibitor.

film-coated tablets

28 x 10 mg 28 x 20 mg 28 x 40 mg
56 x 20 mg

RAMED

RAMIPRIL

Antihypertensive. ACE inhibitor, indicated for the treatment of hypertension, heart failure and post-myocardial infarction. Slows down the development of non-diabetic and diabetic nephropathy.

tablets

28 x 1.25 mg 28 x 2.5 mg 28 x 5 mg 28 x 10 mg
56 x 2.5 mg 56 x 5 mg

RAMZID

RAMIPRIL AND HYDROCHLOROTHIAZIDE

Antihypertensive. Combination of ACE inhibitor and diuretic.

tablets

28 x (2.5 + 12.5 mg) 28 x (5 + 25 mg)
56 x (2.5 + 12.5 mg) 56 x (5 + 25 mg)

ROSIX

ROSUVASTATIN

Hypolipemic, an inhibitor of HMG-CoA reductase, reduces cholesterol by increasing the number of low-density lipoprotein (LDL) receptors on the cell-surface to enhance uptake and catabolism of LDL, inhibits hepatic synthesis of hepatic very-low-density lipoprotein (VLDL), which reduces the total number of VLDL and LDL particles. The treatment reduces triglycerides (TG) and produces increases in high-density lipoprotein cholesterol (HDL).

film-coated tablets

28 x 10 mg
28 x 20 mg
28 x 40 mg

TOMID

TORASEMIDE

Diuretic and antihypertensive. Torasemide is a pyridine-sulfonyl urea type loop diuretic mainly used in the management of edema associated with congestive heart failure. It is also used at low doses for the management of hypertension.

tablets

30 x 5 mg
30 x 10 mg

TORVAS

ATORVASTATINE

Hypolipemic. Indicated as an adjunct to diet for reduction of elevated total cholesterol, LDL-cholesterol, apolipoprotein B, and triglycerides in patients with primary hypercholesterolaemia, heterozygous familial hypercholesterolaemia or combined (mixed) hyperlipidaemia when response to diet and other nonpharmacological measures is inadequate.

film-coated tablets

30 x 10 mg 30 x 20 mg 30 x 40 mg
60 x 10 mg 60 x 20 mg 60 x 40 mg

VAL

VALSARTAN

Antihypertensive. Angiotensin II antagonist acting on the AT1 receptor, indicated for the treatment of hypertension, heart failure and post-myocardial infarction.

film-coated tablets

28 x 80 mg 28 x 160 mg
56 x 80 mg 56 x 160 mg

VAL PLUS

VALSARTAN AND HYDROCHLOROTHIAZIDE

Antihypertensive. Combination of Angiotensin II antagonist and diuretic.

film-coated tablets

28 x (80 + 12.5 mg)

56 x (80 + 12.5 mg)

28 x (160 + 12.5 mg)

56 x (160 + 12.5 mg)

D

DERMATOLOGICALS

AFLODERM

ALCLOMETHASONE DIPROPIONATE

Non-fluorinated corticosteroid dermatological with antiinflammatory, antiallergic and vasoconstrictive action, suitable for use in all age groups.

cream

20 g (0.5 mg / g)

40 g (0.5 mg / g)

ointment

20 g (0.5 mg / g)

ALOMAX

MINOXIDIL

Treatment of androgenic alopecia in men and women between 18 and 65 years. Alomax solution works as a vasodilator and therefore improves blood circulation in the scalp.

solution

60 ml 5% (for men only)

60 ml 2% (for men and women)

AMOFIN

AMOROLFINE

Broad spectrum antimycotic for topical use. Used for treatment of onychomycosis without matrix involvement, caused by dermatophytes, yeasts or moulds.

medicated nail lacquer

2.5 ml (50 mg / ml)

the pack contains 30 cleansing swabs,
10 spatulas and 30 nail files

5 ml (50 mg / ml)

the pack contains 30 cleansing swabs,
10 spatulas and 60 nail files

BELODERM

BETAMETHASONE DIPROPIONATE

Fluorinated corticosteroid dermatological with antiinflammatory, antipruriginous, antiallergic and vasoconstrictive action, suitable for treatment of chronic and persistent dermatoses.

cream

15 g (0.5 mg / g)

30 g (0.5 mg / g)

100 g (0.5 mg / g)

ointment

15 g (0.5 mg / g)

30 g (0.5 mg / g)

skin solution

50 ml (0.5 mg / g)

BELODIN A Derm

DIMETINDENMALEAT

Dimetindene is an antiallergic drug. Dimetindene is an antihistamine/anticholinergic that is a selective H1 antagonist.

gel

30 g (1 mg/1 g)

BELOGENT

BETAMETHASONE DIPROPIONATE AND GENTAMICIN SULPHATE

Fluorinated corticosteroid dermatological combined with a wide-spectrum antibiotic, suitable for treatment of primary and secondary infected dermatoses.

cream

15 g (0.5 + 1 mg / g)

Ointment

15 g (0.5 + 1 mg / g)

BELOSALIC

BETAMETHASONE DIPROPIONATE AND SALICYLIC ACID

Fluorinated corticosteroid dermatological with keratolytic, suitable for treatment of dry, peeling and hyperkeratotic dermatoses.

ointment

30 g (0.5 + 30 mg / g)

skin solution

50 ml (0.5 + 20 mg / g)

100 ml (0.5 + 20 mg / g)

HERPLEX

ACYCLOVIR

Highly selective antiviral for treatment of infections caused by herpes simplex and varicella-zoster viruses.

cream

2 g (50 mg / g)

HERPLEXIM

ACYCLOVIR

Highly selective antiviral for treatment of infections caused by herpes simplex and varicella-zoster viruses.

cream

5 g (50 mg / g)

10 g (50 mg / g)

MIROBACT

MUPIROCIN

Mupirocin is used as a topical treatment for primary and secondary bacterial skin infections.

ointment

15 g 2% (20 mg / g)

ROJAZOL

MICONAZOLE NITRATE

Topical broad-spectrum antimycotic. Combined fungistatic and fungicidal action, and bacteristatic and bactericidal action on gram-positive cocci and bacilli that often follow fungous infections.

cream

30 g 2% (20 mg / g)

ROJAZOLDERM

MICONAZOLE NITRATE

Topical treatment for infections on the skin, nails, hands, feet, outer ears, trunk, or scalp. The active ingredient miconazole destroys fungi and bacteria that cause infection.

cream

20 g (20 mg/g)

SONA

ADAPALENE

Topical retinoid suitable for treatment of mild-moderate acne.

gel

30 g (1 mg / g)

cream

30 g (1 mg / g)

TERBINAX

TERBINAFFINE

Antimycotic. Terbinafine is used to treat certain types of fungal infection. It works by stopping the growth of fungus.

tablets

14 X 250 mg

42 X 250 mg

G

GENITO URINARY SYSTEM AND SEX HORMONES

MEDAZOL

METRONIDAZOLE

Antiinfective, antiprotozoal used for treatment of anaerobic infections, protozoal diseases and for prophylaxis in surgical and gynecological procedures.

vaginal tablets

10 x 500 mg

ROJAZOL

MICONAZOLE NITRATE

Topical broad-spectrum antimycotic. Combined fungistatic and fungicidal action, bacteriostatic and bactericidal action on gram-positive cocci and bacilli that often follow fungous infections.

vaginal suppositories

7 x 200 mg

TAMOSIN

TAMSULOSIN

An antiadrenergic agent, is used to treat enlargement of the prostate gland in men, a condition called benign prostatic hyperplasia or BPH.

hard prolonged-release capsules

30 x 0.4 mg

VINER

SILDENAFIL

In the presence of sexual stimulation, sildenafil enhances the effect of nitric oxide (NO) by inhibiting phosphodiesterase type 5 (PDE5), which is responsible for degradation of cyclic guanosine monophosphate (cGMP) in the corpus cavernosum.

film-coated tablets

4 x 50 mg 4 x 100 mg

VINER MINT

SILDENAFIL

In the presence of sexual stimulation, sildenafil enhances the effect of nitric oxide (NO) by inhibiting phosphodiesterase type 5 (PDE5), which is responsible for degradation of cyclic guanosine monophosphate (cGMP) in the corpus cavernosum.

chewable tablets

4 x 50 mg 4 x 100 mg

J

GENERAL ANTIINFECTIVES FOR SYSTEMIC USE

AMOKSICILIN BELUPO

AMOXICILLIN TRIHYDRATE

Semi-synthetic penicillin wide-spectrum antibiotic.

film-coated tablets

16 x 500 mg

16 x 1000 mg

powder for oral suspension

100 ml (250 mg / 5 ml)

AZITROMICIN BELUPO

ATITHROMYCIN

Semi-synthetic macrolide antibiotic.

film-coated tablets

6 x 250 mg 3 x 500 mg

BELOXIM

CEFUROXIME

Antibacterial for systemic use in adults and children, second-generation cephalosporin.

film-coated tablets

10 x 250 mg 10 x 500 mg

CEFALEKSIN BELUPO

CEFALEXIN

Semi-synthetic cephalosporin bactericidal antibiotic.

hard capsules

16 x 500 mg

powder for oral suspension

100 ml (250 mg / 5 ml)

CIFLOX

CIPROFLOXACIN

Synthetic antibiotic belong to a group of fluoroquinolones. Broad-spectrum antibiotic that is active against both Gram-positive and Gram-negative bacteria.

film-coated tablets

10 x 250 mg

10 x 500 mg

solution for infusion

5 x 100 ml (2 mg / 1 ml)

DOKSICIKLIN BELUPO

DOXYCYCLINE HYCLATE

Tetracycline wide-spectrum antibiotic.

hard capsules

6 x 100 mg

25 x 100 mg

ERITROMICIN BELUPO

ERYTHROMYCIN ESTOLATE

Macrolide wide-spectrum antibiotic.

hard capsules

16 x 250 mg

GENTAMICIN BELUPO

GENTAMICIN SULPHATE

Aminoglycoside wide-spectrum antibiotic, for intramuscular and intravenous use.

solution for injections

10 x 2 ml (80 mg / 2 ml)

10 x 2 ml (120 mg / 2 ml)

● HERPLEXIM

ACYCLOVIR

Highly selective antiviral for treatment of infections caused by herpes simplex and varicella-zoster viruses.

film-coated tablets

35 x 400 mg

● ISOTRETINOIN BELUPO

ISOTRETINOIN

Broad-spectrum oral antimycotic.

soft gel capsules

30 x 10 mg

60 x 10 mg

30 x 20 mg

60 x 20 mg

● ITRAC 3

ITRACONAZOLE

Retinoid for treatment of acne. Indicated for severe forms of acne (such as nodular or conglobate acne or acne at risk of permanent scarring) resistant to adequate courses of standard therapy with systemic anti-bacterials and topical therapy.

hard capsules

4 x 100 mg

28 x 100 mg

● KLAVOBELBID

AMOXICILIN TRIHYDRATE + POTASSIUM CLAVULANATE

Semi-synthetic penicillin antibiotic used to treat a wide range of infections caused by bacteria.

film-coated tablets

14 x (875 + 125) mg

● MAKCIN

CLARITHROMYCIN

Broad-spectrum macrolide antibiotic.

film-coated tablets

14 x 500 mg

● MAKCIN SR

CLARITHROMYCIN

Broad-spectrum macrolide antibiotic.

prolonged-release tablets

7 x 500 mg

MEDAZOL

METRONIDAZOLE

Antiinfective, antiprotozoal used for treatment of anaerobic infections, protozoal diseases and for prophylaxis in surgical and gynecological procedures.

solution for infusion

100 ml (0.5%)

NINUR

NITROFURANTOIN

An urinary anti-infective, used to treat specific urinary tract infections.

capsules

30 x 50 mg

NOFLOX

NORFLOXACIN

Broad-spectrum, quinolone bactericidal agent indicated for the treatment of upper and lower, complicated and uncomplicated, acute and chronic urinary tract infections.

film-coated tablets

20 x 400 mg

SILAPEN K

PHENOXYMETHYLPENICILLIN POTASSIUM

Semi-synthetic penicillin antibiotic, particularly suitable for treatment of streptococcal infections.

Each film-coated tablet contains 1,000,000 IU corresponding to 654 mg of Phenoxymethylpenicillin Potassium or 590 mg Phenoxymethylpenicillin.

Each film-coated tablet contains 1,500,000 IU corresponding to 981 mg of Phenoxymethylpenicillin Potassium or 885 mg Phenoxymethylpenicillin.

Each 5 ml of oral solution contains 250 mg of Phenoxymethylpenicillin as Phenoxymethylpenicillin Potassium Ph. Eur.

film-coated tablets

30 x 1,000,000 IU

30 x 1,500,000 IU

powder for oral solution

100 ml (250 mg / 5 ml)

SULOTRIM

SULFAMETHOXAZOLE AND TRIMETHOPRIM

Combined antibacterial agent having two active components with a synergetic effect.

tablets

20 x (100 + 20 mg)

20 x (400 + 80 mg)

oral suspension

100 ml (200 + 40 mg / 5 ml)

SULOTRIM FORTE

SULFAMETHOXAZOLE AND TRIMETHOPRIM

Combined antibacterial agent having two active components with a synergetic effect.

tablets

20 x (800 + 160 mg)

L

ANTINEOPLASTIC AND IMMUNOMODULATING AGENTS

● BIXALAN

BICALUTAMID

Antineoplastic agent, antiandrogen, non-steroidal androgen receptor inhibitor. It competitively inhibits the action of androgens by binding to cytosol androgen receptors in the target tissue.

film-coated tablets

28 x 50 mg

28 x 150 mg

● LETRILAN

LETROZOLE

Nonsteroidal competitive inhibitor of the aromatase enzyme system; it inhibits the conversion of androgens to estrogens. Letrozole inhibits the aromatase enzyme by competitively binding to the heme of the cytochrome P450 subunit of the enzyme, resulting in a reduction of estrogen biosynthesis in all tissues.

film-coated tablets

30 x 2.5 mg

● STRAZOLAN

ANASTROZOLE

Potent and highly selective nonsteroidal aromatase inhibitor. Anastrozole selectively inhibits the conversion of androgens to estrogens by inhibiting the aromatase enzyme complex through competitive binding to the haeme of the cytochrome P450 (CYP450) unit of the enzyme. Suppression of estrogen biosynthesis in all tissues reduces serum concentrations of circulating estrogens, including estrone, estradiol, and estrone sulphate with a subsequent beneficial effect in breast cancer.

film-coated tablets

28 x 1 mg

M

MUSCULO-SKELETAL SYSTEM

● ALEDOX

ALENDRONATE SODIUM

Potent bisphosphonate for the prevention and the treatment of postmenopausal osteoporosis.

tablets

4 x 70 mg

12 x 70 mg

● ALOPURINOL BELUPO

ALLOPURINOL

An antigout agent. The primary use of allopurinol is to treat hyperuricemia and its complications. Allopurinol does not alleviate acute attacks of gout, but is useful in chronic gout to prevent future attacks.

tablets

100 x 100 mg 30 x 200 mg
 100 x 200 mg

● BONNA

RISEDRONATE SODIUM

Risedronate is a potent bisphosphonate in the treatment of established postmenopausal osteoporosis in the women, osteoporosis in the man and osteoporosis caused by medicines (glucocorticoides).

film-coated tablets

4 x 35 mg 2 x 75 mg
 6 x 75 mg

● IBUPROFEN BELUPO

IBUPROFEN

Non-steroidal anti-inflammatory agent (NSAID) with analgesic and antipyretic effect. Rapidly and efficiently removes severe, moderate and sudden pain in acute rheumatic conditions, in soft tissue injuries, acute disorders of the lumbar spinal column and after surgery.

film-coated tablets

30 x 400 mg
30 x 600 mg
30 x 800 mg

oral suspension

100 ml (100 mg / 5 ml)

● INDOMETACIN BELUPO

INDOMETACIN

Non-steroidal anti-inflammatory agent (NSAID). Helps to decrease swelling and pain.

hard capsules

30 x 25 mg

● KNAVON

KETOPROFEN

Non-steroidal anti-inflammatory agent (NSAID). Used in inflammatory and degenerative rheumatic diseases to reduce joint swelling, to reduce pain both at rest and in motion, to shorten the duration of morning stiffness, enable greater flexibility and functional capacity. Also suitable for removing abdominal pain.

capsules

25 x 50 mg

suppositories

12 x 100 mg

KNAVON FORTE

KETOPROFEN

Non-steroidal anti-inflammatory agent (NSAID). Used in inflammatory and degenerative rheumatic diseases to reduce joint swelling, to reduce pain both at rest and in motion, to shorten the duration of morning stiffness, enable greater flexibility and functional capacity. Also suitable for removing abdominal pain.

film-coated tablets

20 x 100 mg

KNAVON RETARD

KETOPROFEN

Non-steroidal anti-inflammatory agent (NSAID). Used in inflammatory and degenerative rheumatic diseases to reduce joint swelling, to reduce pain both at rest and in motion, to shorten the duration of morning stiffness, enable greater flexibility and functional capacity. Also suitable for removing abdominal pain.

prolonged-release tablets

20 x 150 mg

LUBOR

PIROXICAM

Non-steroidal anti-inflammatory agent (NSAID), which effectively removes edema, erythema, and tissue proliferation in the affected joint. Used as analgesic in supporting therapy.

capsules

20 x 10 mg

20 x 20 mg

suppositories

10 x 20 mg

LUBORETA

PIROXICAM

A topical NSAID that relieves pain due to sprains, contusions, strained muscles and for treatment of particular rheumatism.

cream

50 g (10 mg / g)

NEOFEN 200 mg tablets

IBUPROFEN

Non-steroidal anti-inflammatory agent (NSAID) with analgesic and antipyretic effect. Removes mild and moderate pain of various origin (headache, toothache, premenstrual and menstrual pain, pain caused by injury, rheumatic diseases, cold and influenza). Particularly suitable for treatment of persistent high temperature (over 39°C).

film-coated tablets

20 x 200 mg

30 x 200 mg

NEOFEN direkt

IBUPROFEN

Non-steroidal anti-inflammatory agent (NSAID) with analgesic and antipyretic effect. Removes mild and moderate pain of various origin (headache, toothache, premenstrual and menstrual pain, pain caused by injury, rheumatic diseases, cold and influenza). Particularly suitable for treatment of persistent high temperature (over 39°C).

orodispersible tablets

10 x 200 mg

NEOFEN forte

IBUPROFEN

Non-steroidal anti-inflammatory agent (NSAID) with analgesic and antipyretic effect. Removes mild and moderate pain of various origin (headache, toothache, premenstrual and menstrual pain, pain caused by injury, rheumatic diseases, cold and influenza). Particularly suitable for treatment of persistent high temperature (over 39°C).

film-coated tablets

10 x 400 mg

20 x 400 mg

NEOFEN plus gel

IBUPROFEN

Non-steroidal anti-inflammatory agent (NSAID) for topical treatment. Relieves pain due to sprains, contusions, strained muscles and for treatment of particular rheumatism and sports injuries.

gel

50 g (50 mg / g) 100 g (50 mg / g)

NEOFEN spray

IBUPROFEN

Non-steroidal anti-inflammatory agent (NSAID) for topical treatment. Relieves pain due to sprains, contusions, strained muscles and for treatment of particular rheumatism and sports injuries.

spray

50 ml (50 mg / g)

NEOFEN oral suspension

IBUPROFEN

Non-steroidal anti-inflammatory agent (NSAID). It is used for treatment of mild to moderate pain, post-immunization pyrexia, rheumatic or muscular pain, headache, reduction of fever, sore throat, teething pain, toothache, minor aches and pains, symptoms of cold and influenza.

oral suspension

100 ml (100 mg / 5 ml)

NEOFEN 60 g suppositories

IBUPROFEN

Non-steroidal anti-inflammatory agent (NSAID). It is used for treatment of mild to moderate pain, post-immunization pyrexia, rheumatic or muscular pain, headache, reduction of fever, sore throat, teething pain, toothache, minor aches and pains, symptoms of cold and influenza in children age 3 months to 2 years.

suppositories

10 x 60 mg

● NEOFEN 125 g suppositories

IBUPROFEN

Non-steroidal anti-inflammatory agent (NSAID). It is used for treatment of mild to moderate pain, post-immunization pyrexia, rheumatic or muscular pain, headache, reduction of fever, sore throat, teething pain, toothache, minor aches and pains, symptoms of cold and influenza in children age 2-6 years.

suppositories

10 x 125 mg

N

NERVOUS SYSTEM

● ARVIND

LAMOTRIGINE

Anticonvulsant. Used alone or in combination with other medications in the treatment of seizures in adults and children with epilepsy and Lennox-Gastaut syndrome. Lamotrigine is also used in the treatment of bipolar disorder.

tablets

30 x 25 mg 30 x 50 mg 30 x 100 mg

● AZOLAR

ARIPIPIRAZOLE

Antipsychotic indicated for the treatment schizophrenia and manic episodes in bipolar I. disorder.

Tablets

30 x 10 mg 30 x 15 mg 30 x 30 mg

● CALIXTA

MIRTAZAPINE

Tetracyclic antidepressant. Noradrenergic and specific serotonergic antidepressant (NaSSA).

film-coated tablets

30 x 15 mg 30 x 30 mg 30 x 45 mg

● CERSON

NITRAZEPAM

Benzodiazepine hypnotic, indicated for short-term treatment of insomnia.

tablets

10 x 5 mg 30 x 5 mg

CITRAM

ESCITALOPRAM

An antidepressant of the selective serotonin reuptake inhibitor (SSRI) class, noted for its high selectivity of serotonin reuptake inhibition. It is the S-stereoisomer (enantiomer) of the earlier drug citalopram. It is indicated for the treatment in adults with major depressive disorder, generalized anxiety disorder and social anxiety disorder.

film-coated tablets

28 x 10 mg

EMINENS

ROPINIROLE

A dopaminergic antiparkinsonism agent. Ropinirole may be used alone (without levodopa) in the treatment of idiopathic Parkinson's disease. Addition of ropinirole to levodopa may be used to control "on-off" fluctuations and permit a reduction in the total daily dose of levodopa.

film-coated tablets

210 x 0.25 mg

21 x 1 mg

EMINENS SR

ROPINIROLE

Non-ergoline D2/D3 dopamine agonist that alleviates dopamine deficiency by stimulating striatal dopamine receptors.

prolonged-release tablets

28 x 2 mg

28 x 4 mg

28 x 8 mg

HALEA

SERTRALINE

An antidepressant. Selective serotonin reuptake inhibitor (SSRI) used to treat depression, obsessive-compulsive disorder, panic disorder, posttraumatic stress disorder (PTSD).

film-coated tablets

30 x 50 mg

KATENA

GABAPENTIN

A gamma-aminobutyric acid analog. Gabapentin is indicated as therapy in the treatment of partial seizures in adults with epilepsy with and without secondary generalization.

capsules

20 x 100 mg

50 x 300 mg

50 x 400 mg

LEVETIRACETAM BELUPO

LEVETIRACETAM

Antiepileptic, indicated as monotherapy for adults and adolescents from 16 years of age or as add-on therapy for adults (≥ 18 years) and adolescents (12 to 17 years).

film-coated tablets

60 x 250 mg

60 x 500 mg

x 1000 mg

LIDOKAIN BELUPO

LIDOCAINE

A local anesthetic and antiarrhythmic

solution for injections

5 x 5 ml (2%)
100 x 2 ml (2%)

spray

50 ml 10% (100 mg / ml)
50 ml 10% (100 mg / ml)

LIDOKAIN-ADRENALIN BELUPO

LIDOCAINE, ADRENALIN

A local anesthetic and antiarrhythmic

solution for injections

100 x 2 ml (40 + 0.025 mg / 2 ml)

LORSILAN

LORAZEPAM

Benzodiazepine anxiolytic. Due to simple inactivation (no intermediate products) it is suitable for treatment of patients with liver disease and older patients.

tablets

20 x 2.5 mg 30 x 1 mg

LUMIDOL

TRAMADOL

Opioidic analgesic for treatment of moderate to severe acute and chronic pain.

hard capsules

20 x 50 mg

oral drops

10 ml (100 mg / ml)

solution for injections

5 x 1 ml (50 mg / ml)
5 x 2 ml (100 mg / 2 ml)

LUMIDOL RETARD

TRAMADOL

Opioidic analgesic for treatment of moderate to severe acute and chronic pain.

prolonged-release tablets

30 x 100 mg 30 x 200 mg

LUPOCET 500 mg tablets

ACETAMINOPHEN (PARACETAMOL)

Paracetamol is an antipyretic and analgesic. It is recommended to relieve pain and to reduce fever. It is particularly suitable for the treatment of patients sensitive to salicylates.

tablets

20 x 500 mg

LUPOCET 500 mg film-coated tablets

ACETAMINOPHEN (PARACETAMOL)

Paracetamol is an antipyretic and analgesic. It is recommended to relieve pain and to reduce fever. It is particularly suitable for the treatment of patients sensitive to salicylates.

film-coated tablets

18 x 500 mg

● LUPOCET 1000 mg effervescent tablets

ACETAMINOPHEN (PARACETAMOL)

Lupocet effervescent tablets are intended for lowering of fever and relieving of pain of various origins. It is particularly suitable for the treatment of patients sensitive to salicylates.

effervescent tablets

8 x 1000 mg

● LUPOCET forte 1000 mg film-coated tablets

ACETAMINOPHEN (PARACETAMOL)

Paracetamol is an antipyretic and analgesic. It is recommended to relieve pain and to reduce fever. It is particularly suitable for the treatment of patients sensitive to salicylates.

film-coated tablets

10 x 1000 mg

● LUPOCET baby 120 mg suppositories

ACETAMINOPHEN (PARACETAMOL)

LUPOCET suppositories are indicated for children for reducing fever and relieving pain caused by dentition, toothache, headache, pain after surgery or injuries, muscle and joint pain.

The use of paracetamol in suppository form is particularly suitable for patients who cannot take the oral form (e.g. after surgery or due to nausea or vomiting).

suppositories

10 x 120 mg

● LUPOCET 250 mg suppositories

ACETAMINOPHEN (PARACETAMOL)

LUPOCET suppositories are indicated for children for reducing fever and relieving pain caused by dentition, toothache, headache, pain after surgery or injuries, muscle and joint pain.

The use of paracetamol in suppository form is particularly suitable for patients who cannot take the oral form (e.g. after surgery or due to nausea or vomiting).

suppositories

10 x 250 mg

● LUPOCET flu effervescent tablets

ACETAMINOPHEN (PARACETAMOL), CHLORPHENIRAMINE MALEATE, VITAMINE C

LUPOCET FLU relieves the symptoms of cold and flu such as running and itchy nose, running eyes, hoarseness, cough, headache, fever and fatigue.

1 effervescent tablet contains 300 mg acetaminophen (paracetamol), 1.41 mg chlorpheniramine and 250 mg ascorbic acid.

effervescent tablets

10 x (300 mg + 1.41 mg + 250 mg)

● LUPOCET flu forte effervescent tablets

ACETAMINOPHEN (PARACETAMOL), CHLORPHENIRAMINE MALEATE, VITAMINE C

LUPOCET FLU forte relieves the symptoms of cold and flu such as running and itchy nose, running eyes, hoarseness, cough, headache, fever and fatigue.

1 effervescent tablet contains 500 mg acetaminophen (paracetamol), 1.41 mg chlorpheniramine and 250 mg ascorbic acid.

effervescent tablets

10 x (500 mg + 1.41 mg + 250 mg)

● LUPOCET teen capsules

ACETAMINOPHEN (PARACETAMOL)

Paracetamol is an antipyretic and analgesic. Its use is recommended to relieve pain and to reduce fever in the common cold or flu, and for other pains such as headache (including migraine and tension headache), toothache, neuralgia, back pain, rheumatic and muscle pain, dysmenorrhoea and sore throat. It is also recommended for symptomatic relief of pain in mild arthritis. It is particularly suitable for the treatment of patients sensitive to salicylates.

capsules

20 x 300 mg

● LUPOCET junior syrup

ACETAMINOPHEN (PARACETAMOL)

Paracetamol is indicated for children for lowering fever associated with common cold, flu, infectious childhood diseases (e.g. chicken pox, whooping cough, measles, mumps) or reactions to vaccinations, and for relieving toothache, headache, sore throat, dentition pain, pain after surgery or injuries, muscle and joint pain.

5 ml syrup contains 120 mg acetaminophen (paracetamol).

syrup

100 ml

● MISAR

ALPRAZOLAM

Benzodiazepine anxiolytic used to relieve anxiety, nervousness, and tension associated with anxiety disorders. Also used to treat panic disorders.

tablets

30 x 0.25 mg

30 x 0.5 mg

30 x 1 mg

● MISAR SR

ALPRAZOLAM

Benzodiazepine anxiolytic (see previous).

prolonged-release tablets

30 x 0.5 mg

30 x 1 mg

NORMABEL

DIAZEPAM

Benzodiazepine anxiolytic, sedative and central miorelaxant. Used to relieve anxiety, nervousness, and tension associated with anxiety disorders. It is also used to treat certain types of seizure disorders and muscle spasms.

film-coated tablets

30 x 2 mg

30 x 5 mg

tablets

30 x 10 mg

solution for injections

10 x 2 ml (10 mg / 2 ml)

OKSAZEPAM BELUPO

OXAZEPAM

Benzodiazepine anxiolytic

tablets

30 x 10 mg

30 x 15 mg

30 x 30 mg

PREGABALIN BELUPO

PREGABALIN

Pregabalin is indicated for the treatment of peripheral and central neuropathic pain in adults, excluding the treatment of trigeminal neuralgia pain, acute herpetic pain, post-herpetic pain, or causalgia pain. It is indicated as adjunctive therapy in adults with partial seizures with or without secondary generalisation. Also, it is indicated for the treatment of Generalised Anxiety Disorder (GAD) in adults.

coated tablets

56 x 150 mg

56 x 300 mg

PROMAZIN BELUPO

PROMAZINE

Phenothiazine class of antipsychotics. Used as an adjunct to short-term management of moderate to severe psychomotor agitation. It is also used to treat agitation and restlessness in the elderly.

coated tablets

50 x 25 mg

50 x 100 mg

PROSPERA

RISPERIDONE

Antipsychotic for the treatment of schizophrenia and mania associated with bipolar disorder.

film-coated tablets

20 x 1 mg

60 x 2 mg

60 x 3 mg

60 x 4 mg

Q-PIN

QUETIAPINE

Antipsychotic indicated for treatment of schizophrenia and for treatment of bipolar disorder in the case of moderate to severe manic episodes, major depressive episodes in bipolar disorder and for the prevention of recurrence of manic or depressed episodes in patients with bipolar disorder who previously responded to quetiapine treatment.

film-coated tablets

60 x 25 mg 60 x 100 mg 60 x 200 mg

TIRAMAT

TOPIRAMATE

A carbonic anhydrase inhibitor anticonvulsant. It is used to treat seizures in adults or children with epilepsy. Topiramate is indicated in adults for the prophylaxis of migraine headache.

film-coated tablets

60 x 25 mg 60 x 50 mg 60 x 100 mg

URUTAL

BETAHISTINE

Antivertigo-hemokinetic and otolitic.

tablets

100 x 8 mg 60 x 16 mg 20 x 24 mg 50 x 24 mg

VAIRA

OLANZAPINE

Antipsychotic used to treat the symptoms of psychotic conditions such as schizophrenia and bipolar disorder.

film-coated tablets

28 x 5 mg
28 x 10 mg

VAIRA-V

OLANZAPINE

Antipsychotic used to treat the symptoms of psychotic conditions such as schizophrenia and bipolar disorder.

orodispersible tablets

28 x 5 mg
28 x 10 mg

ZARACET

TRAMADOL / ACETAMINOPHEN (PARACETAMOL)

Combination of opioidic analgesic and analgoantipiretic for symptomatic treatment of moderate and severe pain.

film-coated tablets

10 x (37.5 mg + 325 mg) 30 x (75 mg + 650 mg)
20 x (37.5 mg + 325 mg) 50 x (75 mg + 650 mg)
30 x (37.5 mg + 325 mg)
100 x (37.5 mg + 325 mg)

P

ANTIPARASITIC PRODUCTS

MEDAZOL

METRONIDAZOLE

Antiinfective, antiprotozoal used for treatment of anaerobic infections, protozoal diseases and for prophylaxis in surgical and gynecological procedures.

tablets

20 x 250 mg

10 x 400 mg

20 x 400 mg

R

RESPIRATORY SYSTEM

ALERDIN

DESLORATADINE

Desloratadine is non-sedating long-acting histamine antagonist with selective peripheral H₁-receptor antagonist activity.

orodispersible tablets

10 x 5 mg

30 x 5 mg

oral solution

60 ml (0.5 mg / ml)

120 ml (0.5 mg / ml)

BELODIN / BELODIN A

LORATADINE

Antihistaminic for systematic use.

Loratadine is used in the treatment of allergy symptoms, such as:

- allergic rhinitis (seasonal and perennial)
- chronic urticaria and other allergic skin disturbances, including neurodermatitis.

tablets (BELODIN)

30 x 10 mg

tablets (BELODIN A)

7 x 10 mg

14 x 10 mg

MONLAST

MONTELUKAST

A leukotriene receptor antagonist (LTRA) used for the maintenance treatment of asthma and to relieve symptoms of seasonal allergies. Montelukast blocks the action of leukotriene D₄ on the cysteinyl leukotriene receptor CysLT₁ in the lungs and bronchial tubes. This reduces the bronchoconstriction otherwise caused by the leukotriene, and results in less inflammation. It is not useful for the treatment of acute asthma attacks.

chewable tablets

28 x 5 mg

film-coated tablets

28 x 10 mg

NAXIL

ACETYLCISTEINE

Mucolytic adjuvant in the therapy of respiratory disorders associated with thick, viscous, mucus hypersecretion. For application in adults and children over the age of 2 years.

effervescent tablets

20 x 200 mg

NAXIL FORTE

ACETYLCISTEINE

Mucolytic adjuvant in the therapy of respiratory disorders associated with thick, viscous, mucus hypersecretion. For application in adults.

effervescent tablets

10 x 600 mg

20 x 600 mg

RINIL 0.5 mg / ml

XYLOMETAZOLINE

Application to the nasal passages for children at the age of 2 – 10 years. For the symptomatic relief of nasal congestion, perennial and allergic rhinitis, sinusitis.

nasal spray, solution

10 ml

RINIL 1 mg / ml

XYLOMETAZOLINE

Application to the nasal passages for adults and children at the age ≥ 10 years. For the symptomatic relief of nasal congestion, perennial and allergic rhinitis, sinusitis.

nasal spray, solution

10 ml

FOOD FOR SPECIAL MEDICAL PURPOSES

NUTRIXA

Only for use under medical supervision

Complete and balanced nutrition. For the dietary management of patients with malnutrition, or at risk of developing malnutrition. High calorie, high protein liquid food with added fiber for a complete, balanced diet. For oral use.

200 ml of high protein liquid food corresponds to 250 kcal.

200 ml of high protein liquid food contain 16 g protein.

Flavour vanilla / Flavour chocolate / Flavour strawberry / Flavour coffee

container

200 ml

NUTRIBEL COMPLEX

For dietary nutrition for patients with malnutrition or the risk of their occurrence, in particular oncological patients, patients with cachexia and chronic catabolic diseases. The preparation is not intended for use in children, except for the recommendation of a physician or other qualified health care provider employees. Caution should be exercised in children aged 3 to 6 years. Not suitable for people with galactosemia, or for a diet without fibers.

High-calorie, high-protein, nutritionally complete liquid-added food EPA , Fiber and Medium Triglycerides. For oral administration. The preparation is provided only with medical supervision.

Taste: chocolate

300 kcal / 200 ml

20 g protein / 200 ml

1,1 g EPA / 200 ml

container

200 ml

HERBAL MEDICINES, FOOD SUPPLEMENTS AND COSMETICS

HERBAL MEDICINES

AKTIVIN- H

Hyperici herbae extractum siccum

AKTIVIN H is herbal antidepressant used to induce good mood in mild depression and symptoms such as restlessness, anxiety and irritability.

1 capsule contains: 225 mg extract (as dry extract) of *Hypericum perforatum* L., herba (dried flowering tops of St. John's wort) corresponding to 0.5 mg of total hypericin

30 capsules, 60 capsules

GINKGO

Ginkgo bilobae folii extractum siccum

GINKGO film-coated tablets are used to relieve problems associated with venous and capillary blood flow in the following cases:

- brain circulation disorder manifested by gradual deterioration of brain functions and the following symptoms: vertigo, tinnitus, headache, diminishing memory, insomnia, bad mood and fear.
- restriction of circulation in cervical vertebrae leading to diminishing hearing ability;
- circulatory insufficiency in the extremities manifested by: loss of sensation, pins and needles, cramps, numbness, coldness or burning etc.
- varicose veins and hemorrhoids.

1 film-coated tablet contains: 40 mg extract (as dry extract) of *Ginkgo biloba* L., folium (ginkgo leaf) (40:50:1) standardized to at least 8.8 – 10.8 mg of flavonoids expressed as flavonoid glycosides, 1.12 – 1.36 mg of ginkgolid A,B,C and 1.04 – 1.28 mg of bilobalid.

60 film-coated tablets x 40 mg

90 film-coated tablets x 40 mg

HEDERAN syrup

Hederæ helicis folii extractum siccum

Hederan syrup is used as an expectorant in adults and children at the age of 2 and over.

1 ml of syrup contains 3.675 mg of Ivy dry extract (*Hedera helix* L., folium).

125 ml syrup

200 ml syrup

● HEDERAN film-coated tablets

Hederae heliis folii extractum siccum

Hederan tablets are used as an expectorant in adults, adolescents and children aged 5 years and over.

1 film coated tablet contains: 35 mg of Ivy dry extract (*Hedera helix* L., folium).

20 film-coated tablets

● SILYMARIN

Silybi mariani fructi extractum siccum

SILYMARIN capsules are used to alleviate liver dysfunction.

1 capsule contains 156.7-191.6 mg of refined and standardised dry extract of the milk thistle fruit, *Silybum marianum* (L.) Gaertn which corresponds to 100 mg of silymarin expressed as silibinin.

30, 60 capsules

● SILYMARIN FORTE

Silybi mariani fructi extractum siccum

SILYMARIN film-coated tablets are used to alleviate liver dysfunction due to chronic hepatitis B and C, alcoholic liver disease and cirrhosis.

1 capsule contains 327.59 – 362.07 mg of refined and standardised dry extract of the milk thistle fruit, *Silybum marianum* (L.) Gaertn which corresponds to 200 mg of silymarin expressed as silibinin.

30 film-coated tablets

FOOD SUPPLEMENTS

● BELMIRAN DAN (BELMIRAN DAY)

Passiflora incarnata

BELMIRAN DAN tablets contain passion flower, which contributes to relaxation of the body.

1 film-coated tablet contains: 100 mg of passion flower dry extract (*Passiflorae incarnatae*).

20 film-coated tablets

● BELMIRAN SAN (BELMIRAN NIGHT)

Valeriana officinalis, Humulus lupulus, Passiflora incarnata

BELMIRAN SAN tablets help shorten the time needed to initiate and maintain sleep.

1 film-coated tablet contains: 125 mg valerian root dry extract (*Valeriana officinalis*), 30 mg hops strobile dry extract (*Humulus lupulus*) and 80 mg passion flower dry extract (*Passiflora incarnata*).

20 film-coated tablets

BEVITAL SUN EXTRA

Vitamin C, Vitamin E, Lycopene, β -carotene, Lutein

BEVITAL SUN EXTRA capsules contain vitamin C, which contributes to normal collagen formation for the normal function of the skin. Contain vitamin C and vitamin E which contributes to protection of cells against oxidative stress.

1 capsule contains: 100.0 mg of vitamin C (125% RDA), 30.0 mg of vitamin E (250% RDA), 8.0 mg of lycopene, 5.67 mg of β -carotene, 0.2 mg of lutein.

30 capsules

FERSAN FORTE tablets

Carbonyl iron, Vitamin C, Folic acid

FERSAN FORTE tablets contain iron, vitamin C and folic acid. Iron contributes to normal red blood cell and hemoglobin formation and normal cognitive development of children. Folic acid contributes to normal blood formation and cell division. Vitamin C increases iron absorption.

1 tablet contains: 30 mg (214% RDA) carbonyl iron, 180 mg (225% RDA) vitamin C and 600 μ g (300% RDA) folic acid.

30 tablets

FERSAN JUNIOR

Carbonyl iron, Vitamin C, Folic acid

FERSAN JUNIOR liquid is dietary supplement containing iron which contributes to normal: function of the immune system, cognitive function, metabolism, red blood cells and hemoglobin, transport of oxygen in the body. It contributes in reducing fatigue and exhaustion and has a role in the process of cell division.

30 ml of liquid supplement contains 814.7 mg of ferric pyrophosphate which corresponds to 210 mg elemental iron.

drops (30 ml)

FAVORA MARSHMALLOW

Malva sylvestris, Althaea officinalis

FAVORA MARSHMALLOW contributes to relieve irritation of the throat and pharynx.

125 ml of liquid food supplement contains: 2.6 g of mallow dry extract (*Malva sylvestris*) and 0.525 g of Marshmallow root dry extract (*Althaea officinalis*).

125 ml

FAVORA THYME

Pimpinella anisum, Thymus vulgaris, vitamin C, Primula veris, Primula elatior

FAVORA THYME contributes to relieve irritation of upper respiratory tract.

125 ml of liquid food supplement contains: 1.564 g slurry anis fruit extract (*Pimpinella anisum*), 0.317 g slurry thyme extract (*Thymus vulgaris*), at least 0.244 g of vitamin C (ascorbic acid) and 0.208 g slurry aqueous primula root extract (*Primula veris*, *Primula elatior*).

125 ml

FAVORA PRIMULA

Primula veris

FAVORA PRIMULA relieves irritation throat and throat and acts soothing on the vocals.

125 ml of liquid dietary supplement contains: 3.75 g of liquid ethanol primula root extract (*Primula veris*).

125 ml

FAVORA PLANTAGO

Plantago lanceolata

FAVORA PLANTAGO contributes to relieve mucosal membrane irritation of the mouth and throat.

125 ml of liquid dietary supplement contains: 2.5 g of liquid ethanol extract (*Plantago lanceolata*).

125 ml

HedAKUT granules

N-acetylcysteine, Vitamin C, Zinc, Marshmallow root dry extract (Althaea officinalis), blue eucalyptus (Eucalyptus globulus)

HedAKUT granules contain marshmallow and blue eucalyptus that contribute to the relief in the case of irritation of the upper respiratory tract. HedAKUT granules contain vitamin C and zinc, which contribute to the normal function of the immune system.

1 sachet contains: 200 mg of N-acetylcysteine, 60 mg of Vitamin C (75% RDA), 50 mg of Marshmallow dry extract, 10 mg of Zinc (100% RDA), 3 mg of Eucalyptus dry extract

36 g (12 sachets x 3 g)

MAXI OMEGA-3

OMEGA-3 fatty acids

MAXI OMEGA-3 capsules contain EPA / DHA which contribute to the normal function of the heart.

1 capsule contains 1000 mg of purified and standardized fish oil with a minimum of 30% of omega-3 fatty acids (EPA / DHA), including 18% of eicosapentaenoic acid (EPA) and 12% of docosahexaenoic acid (DHA).

100 capsules

UROSAL

Sabalıs serrulatae fructi extractum siccum, Solidaginis virgaureae herbae extractum siccum, Urticae radıcıs extractum siccum

UROSAL capsules relieve prostate problems, have an antiseptic effect on the urinary tract, and reduce irritation and pain related to urinating.

1 capsule contains 25 mg dry extract of the saw palmetto fruit, *Serenoa repens* (Bartram) Small. (*Sabal serrulata* (Michaux) Nichols); 15 mg dry extract of European goldenrod *Solidago virgaurea* L.; 10 mg dry extract of the root of stinging nettle *Urtica dioica* L. and/or dwarf nettle *Urtica urens* L.

50 capsules

UROSAL MAN

Sabalıs serrulatae fructi extractum spissum

UROSAL MAN capsules are intended for adult male persons.

1 capsule contains 240 mg dry extract *Sabal serrulata*.

30 capsules

UROSAL LADY

Uvae ursi folii extractum siccum, Solidaginis virgaureae herbae extractum siccum, Urticae radıcıs extractum siccum.

1 film-coated tablet contains: 400 mg dry extract of bearberry leaf (*Uvae ursi folii extractum siccum*), 15 mg dry extract of the European goldenrod herb (*Solidaginis virgaureae herbae extractum siccum*), 10 mg dry extract of stinging nettle (*Urticae radıcıs extractum siccum*).

30 film-coated tablets

VITASENG

Panax gınseng radıcıs extractum

VITASENG film-coated tablets contain gınseng root which contributes to normal erectile function and helps maintain vitality.

1 film-coated tablet contains 100 mg standardized dry extract of gınseng root, *Panax gınseng* (8% gınsenosıdes).

30 film-coated tablets

COSMETICS

EUSIN oil

Eusın globulus oil, Mentha pıperıta oil, Melaleuca leucadendra oil, Menthol, Junıperus communıs oil, Methyl salıcylicate, Eugenia caryophyllus oil

EUSIN oil is used in baths.

EUSIN oil contains mixture of essential oils: eucalyptus oil (*Eucalyptus globulus*), peppermint oil (*Mentha pıperıta*), cajuput oil (*Melaleuca leucadendra*), juniper oil (*Junıperus communıs*) and clove oil (*Eugenia caryophyllus*). It contains also: Methyl salıcylicate, Menthol, limonene and eugenol.

drops (10 ml)

FLOCETA gel

Chamomilla recutita extract, Calendula officinalis extract, Aluminium-acetotartarate

FLOCETA gel is used for skin care in the case of skin irritation due to sun exposure, shaving, waxing, excessive sweating and other skin irritations.

FLOCETA gel contains: aqua, propylene glycol, tetrahydroxypropyl ethylenediamine, aluminium acetate-tartarate solution, chamomilla recutita flower extract, calendula officinalis flower extract, carbomer, polysorbate 80, methylparaben, disodium EDTA, propylparaben.

gel (20 g)

FLOCETA lotion

Chamomilla recutita extract, Calendula officinalis extract, Aluminium-acetotartarate, bisabolol

FLOCETA lotion is used for skin care in the case of skin irritation due to sun exposure, shaving, waxing, excessive sweating and other skin irritations.

FLOCETA lotion contains: aqua, propylene glycol, aluminium acetate-tartarate solution, chamomilla recutita flower extract, calendula officinalis flower extract, polysorbate 80, methylparaben, propylparaben, sodium hydroxide, xanthan gum, bisabolol.

lotion, spray for irritated skin (100 ml)

FLOCETA soft gel

Chamomilla recutita flower extract, Calendula officinalis flower extract, Hamamelis virginiana bark/leaf/twig extract

FLOCETA SOFT gel soothes irritated, red and sensitive skin and gives a feeling of comfort, protects and regenerates the skin after exposure to external factors. Also convenient for the care of sensitive baby skin.

FLOCETA SOFT gel contains: aqua, chamomilla recutita flower extract, calendula officinalis flower extract, hamamelis virginiana bark/leaf/twig extract, glycerin, propylene glycol, tetrahydroxypropyl ethylenediamine, carbomer, ethylhexylglycerin, disodium EDTA, polysorbate 80.

gel (15 g)

BELCURA cutaneous spray, emulsion

MicroSilver

Belcura is the Spray Emulsion containing MicroSilver for skin care, protection and regeneration. High-purity MicroSilver provides anti-irritation and anti-bacterial action. Active agents like Ceramides III strengthen the lipid barrier. Glycerin and Lactate hydrate the skin. Hydrophobic lipids form a protective film and deeply nourish the skin without residue. The skin is able to recover and quickly restore its natural barrier.

Ingredients: aqua, butane, caprylic/capric triglyceride, isopentane, cetearyl ethylhexanoate, glycerin, polyglyceryl-3 diisostearate, polyglyceryl-2-dipolyhydroxystearate, dicaprylyl ether, sodium, lactate, magnesium sulfate, silver, ceramide 3, cactic acid, ethylhexylglycerin.

cutaneous spray (125 ml)

EFILIPT BRO cream

Eucalyptus globulus oil, Melaleuca leucadendron cajaputi oil, Myrtus communis oil

A warming agent of vegetable origin with expectorant effect. Active essential oils, which are part of the drug, provide warming, bronchodilator, expectorant effect.

Active components: eucalyptus essential oil (Aetheroleum Eucalypti) - 2.0%; cayeputa essential oil (Aetheroleum Melaleuca cajaputi) - 2.0%; essential oil of myrtle (Aetheroleum Myrtus communis) - 2.0%.

Auxiliary components: purified water, PEG-20 methyl glucose sesquistearate, benzyl alcohol, carbomer, sodium hydroxide.

cream (20 g, 40 g)

● BELOBAZA plus cream

with Zinc Oxide and Bisabolol

BELOBAZA plus is used for regeneration and purification of sensitive and irritated skin. It is also effective for relieving sensations of itching and scratching. Zinc oxide and bisabolol have protective, regenerative and soothing properties are also suitable for keeping the skin in good condition. BELOBAZA plus also contains the emollient white petrolatum which prevents moisture loss while restoring suppleness and flexibility.

Ingredients: aqua, propylene glycol, petrolatum white, cetearyl alcohol, zinc oxide, cetearth-20, xanthan gum, benzyl alcohol, citric acid monohydrate, phenoxyethanol, bisabolol.

cream (40 g, 100 g, 400 g)

● BELOBAZA light cream

with Zinc gluconate and Bisabolol

BELOBAZA light cream is used for regeneration of sensitive and irritated skin especially if the skin has undergone various treatments that may affect the natural lipid barrier. Zinc gluconate and bisabolol have protective and soothing properties are also suitable for keeping the skin in good condition while reinforcing the skin's natural barrier. It is also suitable for use in adolescents with blemish prone oily skin because it helps to reduce the appearance of skin pores while purifying the skin. It also mattifies the skin and reduces the appearance of blemishes and redness.

Ingredients: aqua, cyclomethicone, squalene, zinc gluconate, propylene glycol, cetearth-20, xanthan gum, benzyl alcohol, bisabolol, sodium hydroxide.

cream (50 g, 60 g, 100 g)

MEDICAL DEVICE

● BELOBAZA cream

SOFT PARAFIN AND FAT PRODUCTS

BELOBAZA regenerates and helps maintaining physiological balance of the skin – it protects, moisturizes, soothes and calms skin, as well as regenerates. BELOBAZA contains no parabens, synthetic dyes and parfum and it is therefore suitable for care and protection of sensitive skin, including sensitive skin of children. Due to adjusted pH value, BELOBAZA helps maintaining naturally acid pH of the skin.

Ingredients: aqua, petrolatum, cetearyl alcohol, paraffinum liquidum, cetearth-20, benzyl alcohol, sodium phosphate, phosphoric acid, sodium hydroxide.

cream

100 g 400 g

AUXILIARY SUBSTANCES

● BELOBAZA

SOFT PARAFIN AND FAT PRODUCTS

Ambiphilic base of carefully balanced ingredients for skin treatment, protection and care, and for preparation of magistral medicines (can be combined with almost any dermatotherapeutic).

cream

2 kg

4 kg

CONTACTS

Belupo, lijekovi i kozmetika, d.d.

Danica 5,
48 000 KOPRIVNICA
CROATIA

E- mail: belupo@belupo.hr



www.belupo.com | www.zdravobudi.hr | www.neofen.hr | www.lupocet.hr

Belupo is strategically focused on increasing its exports and developing new drugs that meet the needs and standards of demanding pharmaceutical markets. Our organization is flexibly adjusted to contemporary business management practices, our work ethic is pushing us further and our commitment to quality, safety and efficiency is incorporated in every single product produced under the name BELUPO.



BOARD OF DIRECTORS OFFICES

Josipa Vargovića 4/3
48 000 Koprivnica
Phone: +385 (48) 659 060
Fax: +385 (48) 624 992
E-mail: belupo@belupo.hr

I. Savica 36, P.P. 62
10 000 Zagreb
Phone: +385 (1) 24 81 213
Fax: +385 (1) 23 71 411
E-mail: belupo@belupo.hr

Opatička 5
48000 Koprivnica
Phone: +385 (48) 659 000
Fax: +385 (48) 624 271
E-mail: belupo@belupo.hr

MARKET OF THE REPUBLIC OF CROATIA

Marketing Pharmaceuticals

I. Savica 36, P.P. 62
10 000 Zagreb
Phone: +385 (1) 24 81 203
+385 (1) 24 81 222
E-mail: belupo@belupo.hr

Sales

Josipa Vargovića 4/3
48000 Koprivnica
Phone: +385 (48) 659 032;
+385 (48) 659 033
+385 (48) 659 056
Fax: +385 (48) 624 065
E-mail: belupo@belupo.hr

I. Savica 36, P.P. 62
10 000 Zagreb
Phone: +385 (1) 24 81 222
Fax: +385 (1) 23 71 411
E-mail: belupo@belupo.hr

Pharmacies Deltis Pharm

OFFICES
Josipa Vargovića 4/3
48000 Koprivnica
Phone: +385 (48) 659 015
Fax: +385 (4)8 647 084
E-mail: belupo@belupo.hr

Logistic

Ulica Danica 5, 48000 Koprivnica
Phone/Fax: +385 (48) 652 238
E-mail: belupo@belupo.hr

INTERNATIONAL MARKETS

I. Savica 36, P.P. 62, 10 000 Zagreb
Phone: +385 (1) 24 81 209
Fax: +385 (1) 23 71 399
E-mail: belupo@belupo.hr

BUSINESS DEVELOPMENT AND REGULATORY AFFAIRS

I. Savica 36, P.P. 62, 10000 Zagreb
Phone: +385 (1) 24 81 266
Fax: +385 (1) 24 81 290
E-mail: belupo@belupo.hr

PRODUCTION

Ulica Danica 5, 48000 Koprivnica
Phone: +385 (48) 652 200
Fax +385 (48) 647 087
E-mail: belupo@belupo.hr

RESEARCH AND DEVELOPMENT

Ulica Danica 5, 48000 Koprivnica
Phone: +385 (48) 652 523
Fax +385 (48) 652 285
E-mail: belupo@belupo.hr

QUALITY CONTROL

Ulica Danica 5, 48000 Koprivnica
Phone: +385 (48) 652 209
Fax: +385 (48) 647 085
E-mail: belupo@belupo.hr

QUALITY MANAGEMENT

Ulica Danica 5, 48000 Koprivnica
Phone: +385 (48) 652 891
Fax: +385 (48) 652 894
E-mail: belupo@belupo.hr

PURCHASE

Josipa Vargovića 4/3
48000 Koprivnica
Phone: +385 (48) 659 005
Fax: +385 (48) 624 996
E-mail: belupo@belupo.hr

TREASURY

Opatička 5, 48000 Koprivnica
Phone: +385 (48) 659 024
Fax: +385 (48) 622 879
E-mail: belupo@belupo.hr

ACCOUNTING

Josipa Vargovića 4/1
48000 Koprivnica
Phone: +385 (48) 659 182
Fax: +385 (48) 647 165
E-mail: belupo@belupo.hr

CONTROLLING

Ulica Danica 5, 48000 Koprivnica
Phone: +385 (48) 652 624
+385 (48) 652 223
Fax: +385 (48) 652 544
E-mail: belupo@belupo.hr

PUBLIC RELATIONS

I. Savica 36, P.P. 62, 10 000 Zagreb
Phone: +385 (1) 24 81 201
Fax: +385 (1) 23 71 411
E-mail: public.relations@belupo.hr

HUMAN RESOURCES

Ulica Danica 5, 48000 Koprivnica
Phone: +385 (48) 652 534
Fax: +385 (48) 647 004
kadrovi@belupo.hr

LEGAL AND GENERAL AFFAIRS

Ulica Danica 5, 48000 Koprivnica
Phone: +385 (48) 652 212
Fax: +385 (48) 652 531
E-mail: belupo@belupo.hr

COMPANIES ABROAD

SLOVENIA

BELUPO d.o.o.
Dvoržakova 6
1000 Ljubljana
Phone: +386 1 300 9510
Fax: +386 1 432 6311
E-mail: info@belupo.si

SLOVAKIA

BELUPO S.R.O.
Cukrová 14 / 210
811 08 Bratislava
Phone: +421 2 59 32 43 30; +421 2 59 32 43 34
Fax: +421 2 59 32 43 31
E-mail: belupo@belupo.sk

MACEDONIA

BELUPO D. O. O. E. L. SKOPJE
Ul. 3-ta Makedonska brigada 68
1000 Skopje
Phone: +389 22 403 783
Fax: +389 22 403 790
E-mail: belupo@belupo.com.mk

BOSNIA AND HERZEGOVINA

FARMAVITA d.o.o.
Igmanska 5a
71 320 Vogošća
Phone: +387 33 476 320
Fax: +387 33 476 321
E-mail: farmavita@farmavita.ba

REPRESENTATIVE OFFICES

BOSNIA AND HERZEGOVINA

Hasana Merdžanovića bb
71 320 Vogošća
Phone: +387 33 426 615; 426 616
Fax: +387 33 426 617
E-mail: belupo@bih.net.ba

CZECH REPUBLIC

Černokostelecká 178/9
100 00 Prague
Phone: +420 2 74 77 04 14
E-mail: belupo@belupo.cz

KOSOVO

BELUPO-PERFAQESIA PRISHTINE
Mati 1, Rr.B, H-A, Nr. 3, Residio 2
10000 Prishtine
KOSOVO

RUSSIAN FEDERATION

Lomonosovsky pr. 38, app. 68 (office-manager)
71-72, 124
119330 Moscow
Phone: +7 495 933 7212 | 7213 | 7214
Fax: +7 495 933 7215
E-mail: belupo@belupo.ru

SERBIA

Mosorska 1 | 11 000 Beograd
Phone: +381 11 30 98 871, 30 98 872
Fax: +381 11 24 93 226
E-mail: belupo@eunet.rs

MACEDONIA

Ul. 3-ta Makedonska brigada 68
1000 Skopje
Phone: +389 22 403 783
Fax: +389 22 403 790
E-mail: belupo@belupo.com.mk

POLAND

Ul. Śniadeckich 10/20
00-656 Warsaw
E-mail: office@belupo.pl

KAZAHSTAN

Zheltoksan str.87, off. 24, 25, 26
050000 Almaty, Republik of Kazakhstan
Phone: + 7 727 225 01 64
Fax: + 7 727 279 35 33
E-mail: belupo@belupo.kz

UKRAINE

18 Chigorina str., office 302
01042 Kiev
Phone: +38 044 285 87 20
E-mail: office@belupo.com.ua